

### **AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions and listings of claims in the application.

#### **Listing of Claims:**

Claim 1. (Currently Amended): A molding composition consisting [essentially] of

- A) 40 - 95 parts by weight (in relation to 100 parts by weight of the total composition) of aromatic homopolycarbonate and/or polyester carbonate
- B) 10-35 parts by weight (in relation to 100 parts by weight of the total composition) of (co)polymer based on vinyl monomers
- C) 1 - 25 parts by weight (in relation to 100 parts by weight of the total composition) of silicone acrylate graft rubber and
- D) 0.4 - 40 parts by weight (in relation to 100 parts by weight of the total composition) of [ mineral filler] glass fibers and optionally
- E) at least one member selected from the group consisting of lubricants, mold release agents, nucleating agents, dyes and pigments.

Claim 2. (Original): The composition according to Claim 1, in which component C is prepared by graft polymerization of aromatic alkenyl compounds and a vinylcyanide onto a composite rubber that contains a polyorganosiloxane rubber component and a polyalkyl(meth)acrylate.

Claim 3. (Original): The composition according to Claim 1, wherein component B is a (co)polymer of at least one monomer selected from the group consisting of vinyl aromatics, vinyl cyanides, methacrylic acid-(C<sub>1</sub>-C<sub>8</sub>)-alkyl esters, unsaturated carboxylic acids and derivatives of unsaturated carboxylic acids.

Claim 4. (Original): The composition according to Claim 1, wherein component B is a copolymer of

B.1 from 50 to 99 parts by weight (in relation to 100 parts by weight of B) of vinyl aromatics and/or methacrylic acid-(C<sub>1</sub>-C<sub>8</sub>)-alkyl esters and

B.2 from 1 to 50 parts by weight (in relation to 100 parts by weight of B) of a member selected from the group consisting of vinyl cyanides methacrylic acid-(C<sub>1</sub>-C<sub>8</sub>)-alkyl esters, unsaturated carboxylic acids and derivatives of unsaturated carboxylic acids.

Claim 5. (Currently Amended): The composition according to Claim 1 wherein the amount of [ mineral filler] glass fibers is 1 to 30 parts by weight.

Claim 6. (Cancelled).

Claim 7. (Original): A method of using the composition according to Claim 1 comprising molding an article.

Claim 8. (Original): The article prepared by the method of Claim 7.

Claim 9. (Original): A molded article comprising the composition of Claim 1.

Claim 10. (Cancelled).